

UNDRILLED SEGMENTS



NAO * Non-Asbestos Organic

SM * Semi-Metallic

BLANK SEGMENTS * UNDRILLED, NON-ASBESTOS

PART NO	Internal D.D.	Wide	Thick	Length Inner Arc	Carlisle Part No.	NOTES Replaces these part numbers
1497	7.090	1.110	0.170	8.760	0	Fit shoe #'s S700, S701
1484	7.240	1.180	0.110	8.110	0	Fits shoe no. S725
2183-S/P	7.480	1.770				Lining NPR 2-pc
2192-S/P	8.070	1.650		9.620		E Lining Set 4-pc.
31505	9.000	2.000	0.188	8.785	0	SP # LT0922
31506	9.000	2.000	0.219	9.875	0	SP # LT0923
2182T-S/P J2S	9.000	2.250		10.830		Und. Lining Set
31419	9.000	2.500	0.203	11.000	0	
2086-S/P	9.000	3.000				fits: S646, S647
31507	9.500	1.500	0.188	10.700	0	SP # LT0926
31508	9.500	2.500	0.313	9.750	0	SP # LT0933
2193-S/P	9.530	2.440		11.250		E Lining Set 4-pc.
30848	9.625	2.375	0.313	8.750	0	
31509	9.650	2.750	0.250	9.375	0	SP # LT0932
31510	9.750	2.500	0.313	11.000	0	SP # LT0930
31511	10.000	1.750	0.188	11.000	0	SP # LT1020
31513	10.000	2.000	0.188	11.000	0	SP # LT1023
31512	10.000	2.250	0.250	11.000	0	SP # LT1021
31514	10.000	2.250	0.313	11.875	0	SP # LT1024
30847	10.250	2.250	0.313	11.000	0	
2006 LA S/P	11.000	2.000	0.250	11.875	0	SP # LT1120; 1/4" NAO Segment
2006 LC S/P	11.000	2.000	0.313	11.875	0	Segment; P-214 MT
2006 LU S/P	11.000	2.000	0.187	11.875	0	
2025 LA S/P	11.000	2.500	0.250	11.875	0	Segment; P-214 MT
2025 LC S/P	11.000	2.500	0.313	11.875	0	Use: 2025LA-S/P
2025 LU S/P	11.000	2.500	0.187	11.875	0	3/16" NAO Segment
20X6 S/P	12.000	2.000	0.187	13.000	0	220, 220A, 286B, 296A * 3/16" Segment; P214MT
20X6-A S/P	12.000	2.000	0.250	13.000	0	
20X6-C S/P	12.000	2.000	0.313	13.000	0	
2131 LY S/P	12.000	2.500	0.313	13.000	0	SP # LT1230
2131L-S/P	12.000	2.500			use: 2146	1/4" NAO segment
2131LX-S/P	12.000	2.500			use: 2146	.030 oversize 9/32"
213X S/P	12.000	2.500	0.187	13.000	0	Old # 2131 LU - S/P
3121 L S/P	12.000	2.500	0.250	13.000	0	S/P #'s LT1123, LT1220 1/4" pc.
31515	12.000	2.500	0.375	13.000	0	SP # 1220 3/8" pc.
31516	12.000	3.000	0.250	13.785	0	SP # LT1223
4344 S/P	12.000	6.000	0.750	12.630	0	
4442	12.000	6.000	0.500	11.000	0	
1233 S/P	12.125	2.250	0.313	13.500	0	
2X79	12.250	3.375	0.313	12.250	0	
2X80	12.250	3.375	0.375	12.250	0	
2X80 U	12.250	3.375	0.343	12.250	0	
1X69	12.250	4.000	0.343	13.000	0	
1X70	12.250	4.000	0.375	13.000	0	

1X70-X	12.250	4.000	0.405	13.000	0	
2X33	12.250	5.000	0.313	13.000	0	
BLANK SEGMENTS * UNDRILLED, NON-ASBESTOS						
PART NO	Internal D.D.	Wide	Thick	Length Inner Arc	Carlisle Part No.	NOTES Replaces these part numbers
2X34	12.250	5.000	0.375	13.000	0	
4444	12.250	5.000	0.500	13.630	0	
30599	12.250	5.500	0.500	13.500	MS-19	MS-19, 4305
31376	12.375	3.187	0.375	12.000	LT1246	Old # 2X44, S/P # LT1246
31377	12.375	3.187	0.438	12.000	LT1246-X	Old # 2X44Y, S/P # 1246-X
30849	12.500	2.375	0.375	14.000	0	
30568	12.500	2.500	0.300	12.500	0	
31374	12.500	2.500	0.313	13.750	LT1232	Old # 2X45, S/P # LT1232
30593	12.500	3.000	0.380	14.000	MS-24	MS-24, S/P # LT1242, LT1243
13568	12.500	3.125	0.380	12.000	0	LT1250 Hyster
30598	12.500	4.000	0.380	14.000	MS-23	MS-23
219X S/P	12.562	4.000	0.313	13.250	0	Old # 31519, S/P # LT1237
31520	12.562	4.000	0.344	13.250	0	S/P # LT1237-X
31518	12.600	2.560	0.250	13.275	0	S/P # LT1221
31373	13.000	2.250	0.250	14.000	0	Old # 2X50, S/P # LT1320, LT1322
30586	14.000	2.000	0.250	16.130	MS-19	MS-1, 184, 644, 1172, 1176, 1190, 1225, S/P # LT1424
1294 S/P	14.000	2.500	0.313	15.500	0	1294, 1294A
2039 S/P	14.000	2.500	0.250	15.000	0	224A
31748	14.125	3.500	0.375	15.000	0	1191, 1236, 2041
31031	14.500	2.500	0.250	14.500	0	LT14254 CAT, Towmotor
1280 S/P	15.000	3.500	0.313	16.630	0	1174, 1234. 1280, 1280A, 1280B
1193 S/P	15.000	4.000	0.375	15.875	0	1192, 1193, 1285
1230 S/P	15.000	5.000	0.375	15.875	0	1198, 1230
30600	15.000	7.000	0.500	15.880	MS-18	MS-18, 1252, 4564, 4596, 4597, 4639, 4640
30587	16.000	2.250	0.250	16.880	MS-2	MS-2, 153, 330, 659, 1258
30588	16.000	2.250	0.313	16.750	MS-5	MS-5, 659
30589	16.000	2.500	0.250	18.000	MS-3	MS-3, 1127, 1269
30590	16.000	2.500	0.313	16.750	MS-6	MS-6, 1269, 1276
30580	16.000	3.000	0.250	18.160	MS-4	MS-4, 120, 654, 1223
30594	16.000	3.500	0.313	16.880	MS-7	MS-7, 658, 1277
30596	16.000	3.500	0.250	19.160	MS-21	MS-21
30509	16.000	4.000	0.500	18.500	0	1253
1196 S/P	16.000	5.000	0.375	16.875	0	1196, or can use 1199 S/P
31375	16.000	5.500	0.375	13.000	0	Old # 2X52, can use 1199 S/P
1199 S/P	16.000	6.000	0.375	16.875	0	1196, 1199
30591	16.250	3.000	0.380	15.500	MS-8	MS-8, 189, 1136, 1265, 1272, 4465
30595	16.250	3.500	0.380	17.250	MS-9	MS-9, 170, 1139, 4446, 4547, 4561
30581	16.250	4.000	0.500	18.630	MS-11	MS-11, 1259XX, 4205, 4379, 4410, 4566
30597	16.250	4.000	0.380	17.250	MS-10	MS-10, 170, 1139, 4446, 4547, 4561
30582	16.500	5.000	0.500	18.630	MS-12	MS-12, 4206, 4380
30584	16.500	5.000	0.380	17.380	MS-20	MS-20, 1196, 1259
31626	17.000	4.000	0.344	17.250	0	
30583	17.250	3.000	0.313	18.000	MS-13	MS-13
30592	17.250	3.000	0.380	17.750	MS-15	MS-15, 4286

30473	17.250	4.000	0.440	18.500	0	4211X
30570	17.250	4.000	0.250	18.500	0	

BLANK SEGMENTS * UNDRILLED, NON-ASBESTOS

PART NO	Internal D.D.	Wide	Thick	Length Inner Arc	Carlisle Part No.	NOTES Replaces these part numbers
30571	17.250	4.000	0.313	18.500	MS-14	MS-14
31765	17.250	4.000	0.380	18.500	MS-16	MS-16, Old # 30946
31766	17.250	4.000	0.500	19.500	MS-17	MS-17, Old # 30960, Bendix # 4150109
F/S 16665D	17.250	4.000	0.500	18.500	0	24-holes - cast # 4722-Y-675
30934	17.250	4.500	0.380	18.900	0	HD mtl
30959	17.250	4.500	0.500	18.900	0	HD mtl
30585	17.250	6.000	0.380	18.630	MS-22	MS-22, 1297



BLANK SEGMENTS * UNDRILLED, SEMI-METALLIC

PART NO	Internal D.D.	Wide	Thick	Length Inner Arc	Carlisle Part No.	NOTES Replaces these part numbers
1316S-S/P	7.090	1.180	3/16	6.500		
1366AS-S/P	8.660	1.570	1/4	9.060		
1394S-S/P	8.860	1.770	1/4	8.900		
1396S-S/P	9.840	1.770	1/4	9.840		
13X3U-S-S/P						
13X4-S/P-S			3/16			
1450AS-S/P	7.870	1.530	.197	7.090		
2006LAS-S/P	11.000	2.000	0.250	11.875	0	1/4" SM Segment / order SST-2006LASP
2025LUS-S/P	11.000	2.500	0.187	11.875	0	3/16" SM Segment
2025-S/P J1S	11.000	2.500	.187	9.290		
2051-LAS-S/P	10.000	2.000	.250			1/4" SM segment
2065LAS-A/P	11	2.750	.250			
2080LAS-S/P	11.030	2.500			set	1/4" SM segment
2089LAS-S/P	10.000	2.500		11.000	set	1/4" SM segment
2108LAS-S/P	9.500	2.000		9.750	set	1/4" SM segment
2117LAS-S/P	9.500	2.000		9.880	set	1/4" SM segment
2141LAS-S/P	11.030	2.250		10.630		1/4" SM segment
2151TLAS-S/P	9.000	1.750		9.630		1/4" SM segment
2164LAS-S/P	7.870	1.770				1/4" SM segment
2165LAS-S/P	8.860	1.770		8.900		1/4" SM segment
2182T-S/P J2S	11.030	2.250	.220	10.700		

8104-S/P	7.880	1.380	5/32	7.560		
882S-S/P	9.060	1.560	3/16	9.630		

CAST SHOE NUMBERS TO DRILLED SEGMENTS

CASTING NO.	LINING NO.	NOTES
3222-E-1539	16613 DR	16 HOLES
4722-Y-675	16665 DR	24 HOLES
4722-D-446	16748 DR	22 HOLES
4722-Y-519	31353	16 HOLES
319794L	If 3/8" thick use:	30626
319794L	If 1/2" thick use:	30627
319795R	If 3/8" thick use:	30626
319795R	If 1/2" thick use:	30627
45830L	If 3/8" thick use:	30626
45830L	If 1/2" thick use:	30627
45831R	If 3/8" thick use:	30626
45831R	If 1/2" thick use:	30627
4150292L	If 3/8" thick use:	30626
4150292L	If 1/2" thick use:	30627
4150293R	If 3/8" thick use:	30626
4150293R	If 1/2" thick use:	30627
3200294L	If 3/8" thick use:	30626
3200294L	If 1/2" thick use:	30627
3200295R	If 3/8" thick use:	30626
3200295R	If 1/2" thick use:	30627
311113L	If 3/8" thick use:	30626
311113L	If 1/2" thick use:	30627
311114R	If 3/8" thick use:	30626
311114R	If 1/2" thick use:	30627